

service. Enter a BEGIN command plus a file number to search a database
(e.g., B1 for ERIC).

?b351

05mar02 11:39:24 User225112 Session D2658.1
Sub account: 018976-206
\$0.00 0.214 DialUnits FileHomeBase
\$0.00 Estimated cost FileHomeBase
\$0.08 TELNET
\$0.08 Estimated cost this search
\$0.08 Estimated total session cost 0.214 DialUnits



File 351:Derwent WPI 1963-2001/UD,UM &UP=200214
(c) 2002 Derwent Info Ltd

Set	Items	Description
---	-----	-----
?s an=jp	9585158	
S1	1	AN=JP 9585158
?t s1/7		

RECEIVED
MAR 06 2002
TC 1700

1/7/1
DIALOG(R)File 351:Derwent WPI
(c) 2002 Derwent Info Ltd. All rts. reserv.

011037911 **Image available**
WPI Acc No: 1997-015835/199702

**Rotary powder compression moulding machine used to make tablets,
electronic components - provides top and bottom rollers arranged such
that they are separated through predetermined gap**

Patent Assignee: KIKUSUI SEISAKUSHO LTD (KIKU-N)
Number of Countries: 001 Number of Patents: 001
Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
JP 8281492	A	19961029	JP 9585158	A	19950411	199702 B

Priority Applications (No Type Date): JP 9585158 A 19950411

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
JP 8281492	A		9	B30B-011/00	

Abstract (Basic): JP 8281492 A

The rotary compression moulding machine (A) has a vertical shaft
(2) passing through a horizontal rotation board (3). Rotating board has
mortars (4) placed at predetermined pitch. Sliding pestles (5,6) are
positioned above and below the mortar. A compression moulding part (9)
provides top and bottom rolls which operate the pestles. The mortar is
filled with powder material. The top and bottom rolls move through a
predetermined gap. This makes the powder get compressed between the
pestles as movement of rolls initiates movement of pestles.

ADVANTAGE - Removes moulded material easily. Does not allow liquid
material to mix with powder supplied to mortar.

Dwg.2/10

Derwent Class: P71

International Patent Class (Main): B30B-011/00

International Patent Class (Additional): B30B-011/08

?map anpryy

1 Select Statement(s), 1 Search Term(s)
Serial#SD159

?exs

Executing SD159

S2	1	AN=JP 9585158
?s s2 not s1		
	1	S2
	1	S1

S3 0 S2 NOT S1
 ?save temp
 Temp SearchSave "TD847" stored
 ?b345
 05mar02 11:41:42 User225112 Session D2658.2
 Sub account: 018976-206
 \$11.60 0.448 DialUnits File351
 \$4.43 1 Type(s) in Format 7
 \$4.43 1 Types
 \$16.03 Estimated cost File351
 \$0.65 TELNET
 \$16.68 Estimated cost this search
 \$16.76 Estimated total session cost 0.661 DialUnits

File 345:Inpadoc/Fam.& Legal Stat 1968-2002/UD=200208
 (c) 2002 EPO

Set	Items	Description
---	-----	-----
?exs		
Executing TD847		
>>>SET HILIGHT: use ON, OFF, or 1-5 characters		
S1	1	AN=JP 9585158
S2	1	AN=JP 9585158
	1	S2
	1	S1
S3	0	S2 NOT S1
?t s1/3		

1/3/1
 DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
 (c) 2002 EPO. All rts. reserv.

13361994
 Basic Patent (No,Kind,Date): JP 8281492 A2 961029 <No. of Patents: 002>
ROTARY TYPE POWDER COMPRESSION MOLDING MACHINE (English)
 Patent Assignee: KIKUSUI SEISAKUSHO LTD
 Author (Inventor): SHIMADA KEIJI
 IPC: *B30B-011/00; B30B-011/08
 Derwent WPI Acc No: *G 97-015835; G 97-015835
 Language of Document: Japanese
 Patent Family:

Patent No	Kind	Date	Applic No	Kind	Date
JP 8281492	A2	961029	JP 9585158	A	950411 (BASIC)
JP 2695757	B2	980114	JP 9585158	A	950411

Priority Data (No,Kind,Date):
 JP 9585158 A 950411

?logout
 05mar02 11:42:14 User225112 Session D2658.3
 Sub account: 018976-206
 \$1.10 0.229 DialUnits File345
 \$10.55 1 Type(s) in Format 3
 \$10.55 1 Types
 \$11.65 Estimated cost File345
 \$0.21 TELNET
 \$11.86 Estimated cost this search
 \$28.62 Estimated total session cost 0.891 DialUnits

Status: Signed Off. (4 minutes)

>>>Get immediate news with Dialog's First Release news service. First Release updates major newswire databases within 15 minutes of transmission over the wire. First Release provides full Dialog searchability and full-text features. To search First Release files in OneSearch simply BEGIN FIRST for coverage from Dialog's broad spectrum of news wires.

>>> Enter BEGIN HOMEBASE for Dialog Announcements <<<
>>> of new databases, price changes, etc. <<<

Please enter SUBACCOUNT name/number:

?018976-206

Is 018976-206 the SUBACCOUNT you want to use? (Y/N)

?y

Subaccount is set to 018976-206

SYSTEM:HOME

Cost is in DialUnits

Menu System II: D2 version 1.7.8 term=ASCII

Terminal set to DLINK

*** DIALOG HOMEBASE(SM) Main Menu ***

Information:

1. Announcements (new files, reloads, etc.)
2. Database, Rates, & Command Descriptions
3. Help in Choosing Databases for Your Topic
4. Customer Services (telephone assistance, training, seminars, etc.)
5. Product Descriptions

Connections:

6. DIALOG(R) Document Delivery
7. Data Star(R)

(c) 2000 The Dialog Corporation plc All rights reserved.

/H = Help

/L = Logoff

/NOMENU = Command Mode

Enter an option number to view information or to connect to an online service. Enter a BEGIN command plus a file number to search a database (e.g., B1 for ERIC).

?b351

05mar02 11:35:07 User225112 Session D2657.1

Sub account: 018976-206

\$0.00 0.212 DialUnits FileHomeBase

\$0.00 Estimated cost FileHomeBase

\$0.07 TELNET

\$0.07 Estimated cost this search

\$0.07 Estimated total session cost 0.212 DialUnits

File 351:Derwent WPI 1963-2001/UD,UM &UP=200214

(c) 2002 Derwent Info Ltd

Set	Items	Description
-----	-------	-------------

?s	pn=(jp 2695757	or jp 97695757) or an=97jp-695757
----	----------------	-----------------------------------

	0	PN=JP 2695757
--	---	---------------

	0	PN=JP 97695757
--	---	----------------

	0	AN=97JP-695757
--	---	----------------

S1

(0)

PN=(JP 2695757 OR JP 97695757) OR AN=97JP-695757

0 Hits

?t s1/7

1/7/1

>>>Item 1 is not within valid item range

?save temp

Temp SearchSave "TD845" stored
?b345

05mar02 11:37:01 User225112 Session D2657.2
Sub account: 018976-206
\$6.13 0.237 DialUnits File351
\$6.13 Estimated cost File351
\$0.43 TELNET
\$6.56 Estimated cost this search
\$6.63 Estimated total session cost 0.449 DialUnits

File 345:Inpadoc/Fam.& Legal Stat 1968-2002/UD=200208
(c) 2002 EPO

Set Items Description
--- -----

?exs

Executing TD845

>>>SET HILIGHT: use ON, OFF, or 1-5 characters

1 PN=JP 2695757
0 PN=JP 97695757
0 AN=97JP-695757
S1 1 PN=(JP 2695757 OR JP 97695757) OR AN=97JP-695757

?t s1/3

1/3/1

DIALOG(R)File 345:Inpadoc/Fam.& Legal Stat
(c) 2002 EPO. All rts. reserv.

13361994

Basic Patent (No,Kind,Date): JP 8281492 A2 961029 <No. of Patents: 002>

ROTARY TYPE POWDER COMPRESSION MOLDING MACHINE (English)

Patent Assignee: KIKUSUI SEISAKUSHO LTD

Author (Inventor): SHIMADA KEIJI

IPC: *B30B-011/00; B30B-011/08

Derwent WPI Acc No: *G 97-015835; G 97-015835

Language of Document: Japanese

Patent Family:

Patent No	Kind	Date	Applic No	Kind	Date	
JP 8281492	A2	961029	JP 9585158	A	950411	(BASIC)
JP 2695757	B2	980114	JP 9585158	A	950411	

Priority Data (No,Kind,Date):

JP 9585158 A 950411

?save temp

Temp SearchSave "TD846" stored

?b347

05mar02 11:37:57 User225112 Session D2657.3
Sub account: 018976-206
\$1.09 0.227 DialUnits File345
\$10.55 1 Type(s) in Format 3
\$10.55 1 Types
\$11.64 Estimated cost File345
\$0.21 TELNET
\$11.85 Estimated cost this search
\$18.48 Estimated total session cost 0.676 DialUnits

File 347:JAPIO Oct/1976-2001/Oct(Updated 020204)

(c) 2002 JPO & JAPIO

***File 347: JAPIO data problems with year 2000 records are now fixed.**

Alerts have been run. See HELP NEWS 347 for details.

Set Items Description
--- -----

?exs

Executing TD846

>>>SET HILIGHT: use ON, OFF, or 1-5 characters

>>>SET HILIGHT: use ON, OFF, or 1-5 characters

	Hits	Search Text	DBs
1	173	((belt near3 timing) with \$5motor) and 425/\$.ccls.	USPAT; US-PGPUB
2	6640	((belt near3 timing) with \$5motor)	USPAT; US-PGPUB
3	25015	powder same (press pressing)	USPAT; US-PGPUB
4	17	6 and 5	USPAT; US-PGPUB
5	0	5647410.URPN.	USPAT
6	6	("3107702" "3605825" "3877862" "4865092" "5000661" "5320146").PN.	USPAT
7	261	powder same (press pressing) same cleaning	USPAT; US-PGPUB
8	134624	425/\$.ccls. 264/\$.ccls.	USPAT; US-PGPUB
9	32	14 and 15	USPAT; US-PGPUB
10	1396	425/215-219.ccls.	USPAT; US-PGPUB
11	4	16 and 17	USPAT; US-PGPUB

	Hits	Search Text	DBs
1	285	425/345.ccls.	USPAT; US-PGPUB
2	855	425/352-355.ccls.	USPAT; US-PGPUB
3	75	1 and 2	USPAT; US-PGPUB
4	6	"4443171"	USPAT; US-PGPUB
5	11	5326242.URPN.	USPAT
6	37	("2561735" "3020589" "3394432" "3694127" "3752622" "3773446" "3842646" "3891367" "3909167" "4008021" "4043385" "4047864" "4053267" "4061452" "4061453" "4087221" "4153399" "4270890" "4401614" "4482307" "4573895" "4666389" "4853180" "4923382" "5024811" "5043111" "5043123" "5049054" "5156854" "5238375" "5259744" "5326242" "5366363" "5401153" "5478225" "5498147" "5698149") .PN.	USPAT
7	11	5366363.URPN.	USPAT
8	23	3020589.URPN.	USPAT
9	37	("2561735" "3020589" "3394432" "3694127" "3752622" "3773446" "3842646" "3891367" "3909167" "4008021" "4043385" "4047864" "4053267" "4061452" "4061453" "4087221" "4153399" "4270890" "4401614" "4482307" "4573895" "4666389" "4853180" "4923382" "5024811" "5043111" "5043123" "5049054" "5156854" "5238375" "5259744" "5326242" "5366363" "5401153" "5478225" "5498147" "5698149") .PN.	USPAT
10	11	5037287.URPN.	USPAT
11	22	3677673.URPN.	USPAT
12	2	4789323.URPN.	USPAT
13	2	"2695757"	EPO; JPO; DERWENT
14	5211	425/259,216,215,219,453,405.1,451,451.2,451.5 -451.7,258,260,437,422,444,436RM.ccls.	USPAT; US-PGPUB
15	1065	1 or 2	USPAT; US-PGPUB
16	234	56 and 57	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	42144	powder with press\$3	USPAT; US-PGPUB
18	27	58 and 59	USPAT; US-PGPUB

	Hits	Search Text	DBs
1	285	425/345.ccls.	USPAT; US-PGPUB
2	855	425/352-355.ccls.	USPAT; US-PGPUB
3	75	425/345.ccls. and 425/352-355.ccls..	USPAT; US-PGPUB
4	6	"4443171"	USPAT; US-PGPUB
5	11	5326242.URPN.	USPAT
6	37	("2561735" "3020589" "3394432" "3694127" "3752622" "3773446" "3842646" "3891367" "3909167" "4008021" "4043385" "4047864" "4053267" "4061452" "4061453" "4087221" "4153399" "4270890" "4401614" "4482307" "4573895" "4666389" "4853180" "4923382" "5024811" "5043111" "5043123" "5049054" "5156854" "5238375" "5259744" "5326242" "5366363" "5401153" "5478225" "5498147" "5698149") .PN.	USPAT
7	11	5366363.URPN.	USPAT
8	23	3020589.URPN.	USPAT
9	37	("2561735" "3020589" "3394432" "3694127" "3752622" "3773446" "3842646" "3891367" "3909167" "4008021" "4043385" "4047864" "4053267" "4061452" "4061453" "4087221" "4153399" "4270890" "4401614" "4482307" "4573895" "4666389" "4853180" "4923382" "5024811" "5043111" "5043123" "5049054" "5156854" "5238375" "5259744" "5326242" "5366363" "5401153" "5478225" "5498147" "5698149") .PN.	USPAT
10	11	5037287.URPN.	USPAT
11	22	3677673.URPN.	USPAT
12	2	4789323.URPN.	USPAT
13	2	"2695757"	EPO; JPO; DERWENT
14	5211	425/259,216,215,219,453,405.1,451,451.2,451.5- 451.7,258,260,437,422,444,436RM.ccls.	USPAT; US-PGPUB
15	1065	425/345.ccls. or 425/352-355.ccls.	USPAT; US-PGPUB
16	234	425/259,216,215,219,453,405.1,451,451.2,451.5- 451.7,258,260,437,422,444,436RM.ccls. and (425/345.ccls. or 425/352-355.ccls.)	USPAT; US-PGPUB

	Hits	Search Text	DBs
17	42144	powder with press\$3	USPAT; US-PGPUB
18	27	(425/259,216,215,219,453,405.1,451,451.2,451.5-451.7,258,260,437,422,444,436RM.ccls. and (425/345.ccls. or 425/352-355.ccls.)) and (powder with press\$3)	USPAT; US-PGPUB
19	396	425/451.5-451.7.ccls.	USPAT; US-PGPUB
20	5	425/352-355.ccls. and 425/451.5-451.7.ccls.	USPAT; US-PGPUB
21	11460	(sliding slidable) with (clamp claw gripper)	USPAT; US-PGPUB
22	12	425/451.5-451.7.ccls. and ((sliding slidable) with (clamp claw gripper))	USPAT; US-PGPUB
23	2	((sliding slidable) with (clamp claw gripper)) and 425/352-355.ccls.	USPAT; US-PGPUB
24	34	((sliding slidable) with (clamp claw gripper)) and 425/259,216,215,219,453,405.1,451,451.2,451.5-451.7,258,260,437,422,444,436RM.ccls.	USPAT; US-PGPUB
25	22	((sliding slidable) with (clamp claw gripper)) and 425/259,216,215,219,453,405.1,451,451.2,451.5-451.7,258,260,437,422,444,436RM.ccls.) not (425/451.5-451.7.ccls. and ((sliding slidable) with (clamp claw gripper))) not ((sliding slidable) with (clamp claw gripper)) and 425/352-355.ccls.)	USPAT; US-PGPUB
26	1	4515552.URPN.	USPAT
27	3	("2495100" "3704979" "4181485").PN.	USPAT
28	1	4406608.URPN.	USPAT
29	23	3871611.URPN.	USPAT
30	2	5238377.URPN.	USPAT
31	3563	((sliding slidable) with (clamp claw gripper)) same (plate platen die punch plunger supporter supporting)	USPAT; US-PGPUB
32	855	US-2271979-A.DID. or 425/352-355.ccls.	USPAT; US-PGPUB
33	1065	425/345.ccls. or 425/352-355.ccls.	USPAT; US-PGPUB
34	3	((sliding slidable) with (clamp claw gripper)) same (plate platen die punch plunger supporter supporting)) and (425/345.ccls. or 425/352-355.ccls.)	USPAT; US-PGPUB
35	740	425/216,215,219.ccls.	USPAT; US-PGPUB

	Hits	Search Text	DBs
36	24	(425/345.ccls. or 425/352-355.ccls.) and 425/216;215,219.ccls.	USPAT; US-PGPUB
37	84175	(belt conveyor) with \$motor	USPAT; US-PGPUB
38	855	425/352-355.ccls.	USPAT; US-PGPUB
39	19	((belt conveyor) with \$motor) and 425/352-355.ccls.	USPAT; US-PGPUB
40	6635	(belt near3 timing) with \$5motor	USPAT; US-PGPUB
41	2	425/352-355.ccls. and ((belt near3 timing) with \$5motor)	USPAT; US-PGPUB
42	1065	425/345.ccls. or 425/352-355.ccls.	USPAT; US-PGPUB
43	1	((belt near3 timing) with \$5motor) and (425/345.ccls. or 425/352-355.ccls.) not (425/352-355.ccls. and ((belt near3 timing) with \$5motor))	USPAT; US-PGPUB
44	65414	425/\$.ccls.	USPAT; US-PGPUB
45	173	((belt near3 timing) with \$5motor) and 425/\$.ccls.	USPAT; US-PGPUB
46	285	425/345.ccls.	USPAT; US-PGPUB